

208267US3



IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF: :
Yoshimasa SUZUKI, et al. : EXAMINER: COOLEY, C.
SERIAL NO.: 09/852,210 :
FILED: MAY 10, 2001 : GROUP ART UNIT: 1723
FOR: MIXER FOR CAPSULE FOR
DENTAL RESTORATION MATERIAL

LETTER REQUESTING APPROVAL OF DRAWING CHANGES
WITH CORRECTIONS IN RED (Total 1 Sheet)

ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231


SIR:

Please review for approval the proposed changes to the Formal Drawing shown in
RED on the attached photocopy of the drawing.

Once these changes have been reviewed and approved by the Examiner in charge of
this case, instructions for their implementation will be forwarded to an approved bonded
draftsman.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.


Gregory J. Maier
Attorney of Record
Registration No.: 25,599
David A. Bilodeau
Registration No.: 42,325



22850

Tel: (703) 413-3000

Fax: (703) 413-2220

GJM/DAB/JD:ys

I:\atty\Jd\208267\208267-ame-drw.doc

RECEIVED
AUG 13 2002
TECHNOLOGY CENTER 1700

208267US-3

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: :
Yoshimasa SUZUKI, et al. : GROUP: 1723
SERIAL NO.: 09/852,210 :
FILED: May 10, 2001 : EXAMINER: C. Cooley
FOR: VACUUM ASSISTED MIXER FOR :
CAPSULE OF DENTAL
RESTORATION MATERIAL

LETTER TO THE OFFICIAL DRAFTSMAN

ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

SIR:

Any corrections required by the Chief Draftsman or drawings amendments approved by the Examiner have been incorporated into the copies of the Formal Drawings submitted herewith. It is requested that the enclosed 5 sheets of Formal Drawings be entered to replace the drawings previously filed in this application.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Gregory J. Maier
Attorney of Record
Registration No. 25,599
Surinder Sachar
Registration No. 34,423



22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 11/98)

GJM:psn

I:\USER\SNACE\FORMAL FILINGS\208267US.doc



Docket No. 208267US3

IN RE APPLICATION OF: Yoshimasa SUZUKI, et al.

SERIAL NO: 09/852,210

FILED: May 10, 2001

FOR: MIXER FOR CAPSULE FOR DENTAL RESTORATION MATERIAL

ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

SIR:

Transmitted herewith is an amendment in the above-identified application.

☐ No additional fee is required

☐ Small entity status of this application under 37 C.F.R. §1.9 and §1.27 is claimed.

☒ Additional documents filed herewith: Marked-up Copy; Request for Extension of Time (1 month); Letter Requesting Approval of Drawing Changes with Corrections in Red; Drawing (1 sheet)

The Fee has been calculated as shown below:

| CLAIMS | CLAIMS REMAINING | | HIGHEST NUMBER PREVIOUSLY PAID | NO. EXTRA CLAIMS | RATE | CALCULATIONS |
|--|---------------------|-------|---|------------------------|-----------|--------------|
| TOTAL | 5 | MINUS | 20 | 0 | x \$18 = | \$0.00 |
| INDEPENDENT | 1 | MINUS | 3 | 0 | x \$84 = | \$0.00 |
| <input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS | | | | | + \$280 = | \$0.00 |
| TOTAL OF ABOVE CALCULATIONS | | | | | | \$0.00 |
| <input type="checkbox"/> Reduction by 50% for filing by Small Entity | | | | | | \$0.00 |
| <input type="checkbox"/> Recordation of Assignment | | | | | + \$40 = | \$0.00 |
| TOTAL | | | | | | \$0.00 |

☒ A check in the amount of **\$110.00** is attached.

☒ Please charge any additional Fees for the papers being filed herewith and for which no check is enclosed herewith, or credit any overpayment to deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

☒ If these papers are not considered timely filed by the Patent and Trademark Office, then a petition is hereby made under 37 C.F.R. §1.136, and any additional fees required under 37 C.F.R. §1.136 for any necessary extension of time may be charged to Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

Gregory J. Maier

Registration No. 25,599

David A. Bilodeau

Registration No. 42,325



22850

Customer Number 22850
Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 10/01)
I:\attyJd\20s\208267\208267-ame-cvr.doc

TECHNOLOGY CENTER 1700

AUG 13 2002

RECEIVED

1723